

28-Port Optical Switch Huawei Core



Overview

Huawei S6730-H28Y4C with 24*1GE/10GE/25GE SFP28 optical ports, 4*40GE/100GE QSFP+/QSFP28 ports, 2 power module slots, hot-swappable power modules are optional: 2*AC, 2*DC, 1*AC+1*DC, 1*AC or 1*DC. The CloudEngine S5732-H-V2 boasts various IDN features. For example, the free mobility feature ensures consistent detection, threat analysis even in encrypted traffic, and network-wide threat deception. Huawei CloudEngine S6730-H series switches offer 10GE, 25GE, 40GE, and 100GE port types, flexibly. Optical Module Solution for Huawei S5700-28X-LI-AC Switch IV. S5700-28C-EI-24S offers 24 Gig SFP, 4 of which are dual-purpose 10/10 -AC switch with installed sub-card. This one has installed the sub-card b of Huawei S5700-28C-EI-24S switch. This model does not match V200R003C02, V200R003C10, V200R005C00SPC500, V200R005C01, V200R005C02, V200R005C03, or V200R007C10. It is used with a ground cable. Huawei S5700 series Ethernet switches are next-generation energy-saving GE switches designed to provide high-bandwidth access and Ethernet multi-service.

Article Content

S5700-HI Series Gigabit Enterprise Switches

In addition, the S5710-HI provides both optical and electrical ports for flexible access and supports PoE+. The flexible port combinations meet different bandwidth upgrading requirements and protect

S7X08000 (02312URW/02312URW-002: 8-Port 10GE SFP+ or 2-Port

Card Overview The S7X08000 provides eight 10GE SFP+ optical ports for data access and line-rate switching by default. The port mode can be changed (the S5732-H-V2 is supported since

S5720-SI Datasheet (Detailed Version)

S5720-SI Datasheet (Detailed Version) S5720-SI Datasheet (Detailed Version) 1 Introduction Huawei S5700 series Ethernet switches (S5700 for short) are next-generation energy-saving Gigabit

CloudEngine S5732-H Series Hybrid Optical-Electrical Switches

CloudEngine S5732-H Series Hybrid Optical-Electrical Switches CloudEngine S5732-H series hybrid optical-electrical switches are brand-new 10GE access switches that provides 24-port (optical) + 24

25GE SFP28 Optical Modules

This document provides an overall description of the CE5800& 6800& 8800& 9800 series switches hardware that V200R020C00 and later versions, helping you obtain detailed information about each

S5700-28X-LI-24S-AC

If the optical port has an optical module installed and the electrical port has an Ethernet cable connected, the optical port is used for data switching after the switch restarts. You can configure a

CloudEngine S5732-H-V2 Series Switches | Huawei

CloudEngine S5732-H-V2 series all-optical switches are next-generation enhanced all-optical GE/10GE hybrid switches that provide 28-port and 48 port models, and

Huawei CloudEngine S5535-S-V2 Series Hybrid Optical-Electrical Switches ...

Huawei CloudEngine S5535-S-V2 Series Hybrid Optical-Electrical Switches Brochure Huawei CloudEngine S5535-S-V2 series hybrid optical-electrical switches are standard gigabit Ethernet

S5720-28X-LI-24S-AC

The electrical and optical ports of a combo port are multiplexed, and only one of them can work at a time. When one of the Ethernet ports is working, the other port is shut down.

S5720-28P-LI-AC

When a 1000BASE-X port uses a GE copper module, it can transmit and receive data at 10 Mbit/s, 100 Mbit/s, or 1000 Mbit/s. Table 4-245 describes the attributes of a 1000BASE-X Ethernet optical port.

S5720-EI Series Switches

S5720-EI Series Switches Product Overview The S5720-EI series enhanced gigabit Ethernet switches (S5720-EI for short) are next-generation switches that provide flexible GE access ports (including

S5700-28C-EI-24S

Power Supply Configuration The S5700-28C-EI-24S can use a single power module or double power modules for 1+1 power redundancy. In versions prior to V200R005C00, the AC and DC power

Huawei CloudEngine S5732-H-V2 Series All-Optical Switches Datasheet

CloudEngine S5732-H-V2 series switches are next-generation enhanced all-optical GE/10GE hybrid switches that provide 28-port and 48-port models, and provide fixed 6*40GE uplink

S5700-28X-LI-24S-DC

A combo port can be configured as an electrical port or an optical port, but only one port can be active at a time. When one port is active, the other port is shut down.

First-Generation Hybrid Cable

First-Generation Hybrid Cable Overview The first-generation hybrid cable (hybrid cable 1.0) is composed of optical fibers and copper cores. It is mainly used to connect an S5732-H48XUM2CC hybrid optical

Contact Us

For more information, pricing, or custom solutions, please contact us:

Website: <https://activa.net.pl>

Email: sales@activa.net.pl

Phone: +48 662 748 193

Address: ul. Cybernetyki 7B, 02-677 Warsaw, Poland

This document is for informational purposes only. Specifications subject to change without notice.

