

Bosnia and Herzegovina Tunable Optical Module QSFP



Overview

The TQ2032-TUNC-SO is a pluggable QSFP28 DWDM transceiver designed for high capacity 100 Gigabit Ethernet (100GbE) Data Center Interconnect (DCI) optical communication applications up to 120km unamplified or 300km amplified links. It is fully compliant to the IEEE 802.3™-2022 100GBASE-ZR standard, ensuring interoperability with other solutions. The TQ2032 has an on-board dispersion compensation that can handle. Shop 100G Optical Transceiver Module 1310nm 20km 100GBASE QSFP28 Transceiver for Cisco QSFP-100G-LR4-S, QSFP-100G-LR4, 100GBASE-LR4 QSFP28 with DDM Up to 20KM online at a best price in Bosnia and Herzegovina. The Steelerton DSP is the first purpose-built DSP for 100G ZR applications, optimized for the lowest power. The availability of 100ZR coherent tunable DWDM (Dense Wavelength Division Multiplexing) transceivers in a QSFP28 form factor marks a significant milestone in this quest, offering a powerful, pluggable solution for access, edge, and metro networks. What Makes the QSFP28 100ZR Unique?

The QSFP28.

Article Content

QSFP28 100G COHERENT DWDM SFF-8636 HIGH TX POWER

The transceiver utilizes a tunable DP-QPSK modulated 28 Gbps wavelength with ability to be tuned with either 50GHz or 100GHz spacing enabling up to 96 channels over a 50GHz DWDM grid system as

QSFP28 100G COHERENT DWDM CMIS

The transceiver utilizes a tunable DP-QPSK modulated 28 Gbps wavelength with ability to be tuned with either 50GHz or 100GHz spacing enabling up to 96 channels over a 50GHz DWDM grid system as

Cisco QSFP28 100G ZR Digital Coherent Optics Module

This DCO module is tunable across C-band. The module is compatible with widely deployed ports of QSFP28 100G and 100GBASE ER CAUI-4 client interfaces. Its maximum operating power range is

Generic Compatible QSFP28 DCO 100G DWDM C-band Tunable

QSFP-ZR-100G-S (CMIS): Supports OTU4 rate, and features tunable wavelengths (via supported switches and BOX). It can be used on switches that support the CMIS protocol, mostly 400G

100G Optical Transceiver Module 1310nm 20km 100GBASE Bosnia

Shop 100G Optical Transceiver Module 1310nm 20km 100GBASE QSFP28 Transceiver for Cisco QSFP-100G-LR4-S, QSFP-100G-LR4, 100GBASE-LR4 QSFP28 with DDM Up to 20KM online at a

QSFPDD-ZR-400G Datasheet | FS

400G QSFP-DD DCO DWDM TUNABLE COHERENT 120KM DOM TRANSCEIVER

Description The FS QSFP-DD Digital Coherent Optics (DCO) transceiver supports 400G coherent transmission for data

QSFP-DD DCO 400G DWDM Tunable Coherent ITU CH13-CH61

The 400G QSFP-DD ZR+ is a C-Band optical frequency tunable coherent optical module, that combines 7nm coherent DSP ASIC functionality with best-in-class ultra-narrow line-width tunable lasers, high

100G Coherent QSFP28 C-band Tunable 80km DCO Transceiver

Digital Coherent Optics module, hot-pluggable QSFP28 form factor. Transmission reach: Up to 80km unamplified (loss limited) Up to 120km amplified (dispersion limited, optionally extendable to 300km)

QSFP28 100G COHERENT DWDM SFF-8636 HIGH TX POWER

The TQ2032-TUNC-SO is a pluggable QSFP28 DWDM transceiver designed for high capacity 100 Gigabit Ethernet (100GbE) Data Center Interconnect (DCI) optical communication applications up to

COLORZ® II 400ZR+ QSFP-DD Product Brief

The transmitter is tunable over the ITU C-Band (75 GHz grid or 100 GHz grid). The COLORZ II 400ZR+ QSFP-DD includes a narrow linewidth tunable laser, Silicon Photonics Modulator ICR, and a DSP.

Contact Us

For more information, pricing, or custom solutions, please contact us:

Website: <https://activa.net.pl>

Email: sales@activa.net.pl

Phone: +48 662 748 193

Address: ul. Cybernetyki 7B, 02-677 Warsaw, Poland

This document is for informational purposes only. Specifications subject to change without notice.

